

Description	Belt-thickness	Order No.
-------------	----------------	-----------


Belt Fastener EC125SS with Connecting Pin ECP125NCS
 Belt Strength up to 315 kN/m, Minimum Pulley Diameter 75mm
 Stainless Steel Fasteners- SS, Nylon Covered Stainless Steel Cable Pins NCS

EC125SS-100NCS	3.2-4.8	38 013 97
EC125SS-250NCS	3.2-4.8	38 014 03
EC125SS-300NCS	3.2-4.8	38 009 01
EC125SS-350NCS	3.2-4.8	38 014 27
EC125SS-400NCS	3.2-4.8	38 014 58
EC125SS-450NCS	3.2-4.8	38 014 65
EC125SS-500NCS	3.2-4.8	38 014 72
EC125SS-600NCS	3.2-4.8	38 009 56
EC125SS-750NCS	3.2-4.8	38 014 89
EC125SS-800NCS	3.2-4.8	38 014 96
EC125SS-900NCS	3.2-4.8	38 009 87
EC125SS-1000NCS	3.2-4.8	38 015 19
EC125SS-1050NCS	3.2-4.8	38 015 26
EC125SS-1200NCS	3.2-4.8	38 015 33
EC125SS-1500NCS	3.2-4.8	38 015 40
EC125SS-1200/bulk50*	3.2-4.8	38 015 64
EC125SS-1500/bulk50*	3.2-4.8	38 015 71
EC125SS-1800/bulk50*	3.2-4.8	38 015 88

Box content:

4 Sets of Lacing (8 Strips + 4 Connecting Pins + 10 Retaining Washers).

** 10 Sets (20 Strips + 10 Connecting Pins + Washers)




* 25 Sets (50 Strips) without Connecting Pins + Washers

Belt Fastener EC125SS with Connecting Pin ECP125SS
 Belt Strength up to 315 kN/m, Minimum Pulley Diameter 75mm
 Stainless Steel Fasteners- SS, Stainless Steel Wire Pins SS

EC125SS-300SS	3.2-4.8	38 016 01
EC125SS-350SS	3.2-4.8	38 016 18
EC125SS-400SS	3.2-4.8	38 016 25
EC125SS-450SS	3.2-4.8	38 016 32
EC125SS-500SS	3.2-4.8	38 016 49
EC125SS-600SS	3.2-4.8	38 016 56
EC125SS-750SS	3.2-4.8	38 016 63
EC125SS-900SS	3.2-4.8	38 016 70
EC125SS-1000SS	3.2-4.8	38 016 87
EC125SS-1050SS	3.2-4.8	38 016 94
EC125SS-1200SS	3.2-4.8	38 017 00
EC125SS-1500SS	3.2-4.8	38 017 17

Box content:

4 Sets of Lacing (8 Strips + 4 Connecting Pins + 10 Retaining Washers).



Description	Belt-thickness	Order No.
-------------	----------------	-----------

Belt Fastener EC187SS with Connecting Pin ECP187NCS
 Belt Strength up to 400 kN/m, Minimum Pulley Diameter 100 mm
 Stainless Steel Fasteners- SS, Nylon Covered Stainless Steel Cable Pins NCS

EC187SS-100NCS**	4.8-6.4	38 022 02
EC187SS-300NCS	4.8-6.4	38 022 19
EC187SS-400NCS	4.8-6.4	38 022 26
EC187SS-450NCS	4.8-6.4	38 022 33
EC187SS-500NCS	4.8-6.4	38 022 40
EC187SS-600NCS	4.8-6.4	38 014 10
EC187SS-750NCS	4.8-6.4	38 022 57
EC187SS-800NCS	4.8-6.4	38 022 64
EC187SS-900NCS	4.8-6.4	38 014 41
EC187SS-1000NCS	4.8-6.4	38 022 88
EC187SS-1050NCS	4.8-6.4	38 022 95
EC187SS-1200NCS	4.8-6.4	38 023 01
EC187SS-1500NCS	4.8-6.4	38 023 18
EC187SS-1200/bulk50*	4.8-6.4	38 021 58
EC187SS-1500/bulk50*	4.8-6.4	38 021 65
EC187SS-1800/bulk50*	4.8-6.4	38 021 72

Box content:

4 Sets of Lacing (8 Strips + 4 Connecting Pins + 10 Retaining Washers).

** 10 Sets (20 Strips + 10 Connecting Pins + Washers)



* 25 Sets (50 Strips) without Connecting Pins + Washers

Belt Fastener EC187SS with Connecting Pin ECP187NCS
 Belt Strength up to 400 kN/m, Minimum Pulley Diameter 100 mm
 Stainless Steel Fasteners- SS, Stainless Steel Wire Pins SS

EC187SS-300SS	4.8-6.4	38 024 00
EC187SS-400SS	4.8-6.4	38 024 17
EC187SS-450SS	4.8-6.4	38 024 24
EC187SS-500SS	4.8-6.4	38 024 31
EC187SS-600SS	4.8-6.4	38 024 48
EC187SS-750SS	4.8-6.4	38 024 55
EC187SS-900SS	4.8-6.4	38 024 62
EC187SS-1000SS	4.8-6.4	38 024 79
EC187SS-1050SS	4.8-6.4	38 024 86
EC187SS-1200SS	4.8-6.4	38 024 93
EC187SS-1500SS	4.8-6.4	38 025 09

Box content:

4 Sets of Lacing (8 Strips + 4 Connecting Pins + 10 Retaining Washers).



Description **Order No.**

Connecting Pin ECP62NC
Nylon Covered Steel Cable, Outside Diameter 2.0 mm

ECP62-300NC	38 026 08
ECP62-400NC	38 026 15
ECP62-450NC	38 026 22
ECP62-500NC	38 026 39
ECP62-600NC	38 026 46
ECP62-750NC	38 026 53
ECP62-800NC	38 026 60
ECP62-900NC	38 026 77
ECP62-1000NC	38 026 84
ECP62-1050NC	38 026 91
ECP62-1200NC	38 027 07
ECP62-1500NC	38 027 14
ECP62-NC 3 Meter*	38 027 21
ECP62-NC 30 Meter*	38 027 38

Packing Unit content:
10 Connecting Pins.
* One coil



Connecting Pin ECP125NC
Nylon Covered Steel Cable, Outside Diameter 3.6 mm

ECP125-100NC	38 027 52
ECP125-250NC	38 027 69
ECP125-300NC	38 027 76
ECP125-350NC	38 027 83
ECP125-400NC	38 027 90
ECP125-450NC	38 028 06
ECP125-500NC	38 028 13
ECP125-600NC	38 028 20
ECP125-750NC	38 028 37
ECP125-800NC	38 028 44
ECP125-900NC	38 028 51
ECP125-1000NC	38 028 68
ECP125-1050NC	38 028 75
ECP125-1200NC	38 028 82
ECP125-1500NC	38 028 99
ECP125-NC 3 Meter*	38 029 05
ECP125-NC 30 Meter*	38 029 12

Packing Unit content:
10 Connecting Pins.
* One coil



Description	Order No.
-------------	-----------

Connecting Pin ECP187NC
Nylon Covered Steel Cable, Outside Diameter 5.1 mm

ECP187-100NC	38 029 50
ECP187-300NC	38 029 67
ECP187-400NC	38 029 74
ECP187-450NC	38 029 81
ECP187-500NC	38 029 98
ECP187-600NC	38 030 01
ECP187-750NC	38 030 18
ECP187-800NC	38 030 25
ECP187-900NC	38 030 32
ECP187-1000NC	38 030 49
ECP187-1050NC	38 030 56
ECP187-1200NC	38 030 63
ECP187-1500NC	38 030 70
ECP187-NC 3 Meter*	38 030 87
ECP187-NC 30 Meter*	38 030 94

Packing Unit content:
10 Connecting Pins.
* One coil



Connecting Pin ECP62NCS
Nylon Covered Steel Cable, Outside Diameter, \varnothing 2.0 mm

ECP62-300NCS	38 031 00
ECP62-400NCS	38 031 17
ECP62-450NCS	38 031 24
ECP62-500NCS	38 031 31
ECP62-600NCS	38 031 48
ECP62-750NCS	38 031 55
ECP62-800NCS	38 031 62
ECP62-900NCS	38 031 79
ECP62-1000NCS	38 031 86
ECP62-1050NCS	38 031 93
ECP62-1200NCS	38 032 09
ECP62-1500NCS	38 032 16
ECP62-NCS 3 Meter*	38 032 23
ECP62-NCS 30 Meter*	38 032 30

Packing Unit content:
10 Connecting Pins.
* One coil



Description **Order No.**

Connecting Pin ECP125NCS
Nylon Covered Stainless Steel Cable, Outside Diameter 3.6 mm

ECP125-100NCS	38 032 54
ECP125-250NCS	38 032 61
ECP125-300NCS	38 032 78
ECP125-350NCS	38 032 85
ECP125-400NCS	38 032 92
ECP125-450NCS	38 033 08
ECP125-500NCS	38 033 15
ECP125-600NCS	38 033 22
ECP125-750NCS	38 033 39
ECP125-800NCS	38 033 46
ECP125-900NCS	38 033 53
ECP125-1000NCS	38 033 60
ECP125-1050NCS	38 033 77
ECP125-1200NCS	38 033 84
ECP125-1500NCS	38 033 91
ECP125-NCS 3 Meter*	38 034 07
ECP125-NCS 30 Meter*	38 034 14

Packing Unit content:
10 Connecting Pins.
* One coil



Connecting Pin ECP187NCS
Nylon Covered Stainless Steel Cable, Outside Diameter 5.1 mm

ECP187-250NCS	38 034 52
ECP187-350NCS	38 034 69
ECP187-400NCS	38 034 76
ECP187-450NCS	38 034 83
ECP187-500NCS	38 034 90
ECP187-600NCS	38 035 06
ECP187-750NCS	38 035 13
ECP187-800NCS	38 035 20
ECP187-900NCS	38 035 37
ECP187-1000NCS	38 035 44
ECP187-1050NCS	38 035 51
ECP187-1200NCS	38 035 68
ECP187-1500NCS	38 035 75
ECP187-NCS 3 Meter*	38 035 82
ECP187-NCS 30 Meter*	38 035 99

Packing Unit content:
10 Connecting Pins.
* One coil



Description **Order No.**

Connecting Pin ECP62SP
Steel Spring Wire, Outside Diameter 2.0 mm

ECP62-300SP	38 036 05
ECP62-400SP	38 036 12
ECP62-450SP	38 036 29
ECP62-500SP	38 036 36
ECP62-600SP	38 036 43
ECP62-750SP	38 036 50
ECP62-800SP	38 036 67
ECP62-900SP	38 036 74
ECP62-1000SP	38 036 81
ECP62-1050SP	38 036 98
ECP62-1200SP	38 037 04
ECP62-1350SP	38 037 42
ECP62-1500SP	38 037 11
ECP62-1800SP	38 037 28

Packing Unit content:
10 Connecting Pins.



Connecting Pin ECP125SP
Steel Spring Wire, Outside Diameter 3.5 mm

ECP125-100SP	38 037 59
ECP125-250SP	38 037 66
ECP125-300SP	38 037 73
ECP125-350SP	38 037 80
ECP125-400SP	38 037 97
ECP125-450SP	38 038 03
ECP125-500SP	38 038 10
ECP125-600SP	38 038 27
ECP125-750SP	38 038 34
ECP125-800SP	38 038 41
ECP125-900SP	38 038 58
ECP125-1000SP	38 038 65
ECP125-1050SP	38 038 72
ECP125-1200SP	38 038 89
ECP125-1500SP	38 038 96
ECP125-1800SP	38 039 02

Packing Unit content:
10 Connecting Pins.



Connecting Pin ECP187SP
Steel Spring Wire, Outside Diameter 4.5 mm

ECP187-100SP	38 039 57
ECP187-300SP	38 039 64
ECP187-400SP	38 039 71
ECP187-450SP	38 039 88
ECP187-500SP	38 039 95

Packing Unit content:
10 Connecting Pins.



Description	Order No.
-------------	-----------

Connecting Pin ECP187SP
Steel Spring Wire, Outside Diameter 4.5 mm

ECP187-600SP	38 040 08
ECP187-750SP	38 040 15
ECP187-800SP	38 040 22
ECP187-900SP	38 040 39
ECP187-1000SP	38 040 46
ECP187-1050SP	38 040 53
ECP187-1200SP	38 040 60
ECP187-1500SP	38 040 77
ECP187-1800SP	38 040 84

Packing Unit content:
10 Connecting Pins.



Connecting Pin ECP62SS
Stainless Steel Spring Wire, Outside Diameter 2.0 mm

ECP62-300SS	38 041 07
ECP62-400SS	38 041 14
ECP62-450SS	38 041 21
ECP62-500SS	38 041 38
ECP62-600SS	38 041 45
ECP62-750SS	38 041 52
ECP62-800SS	38 041 69
ECP62-900SS	38 041 76
ECP62-1000SS	38 041 83
ECP62-1050SS	38 041 90
ECP62-1200SS	38 042 06
ECP62-1350SS	38 042 44
ECP62-1500SS	38 042 13
ECP62-1800SS	38 042 20

Packing Unit content:
10 Connecting Pins.



Connecting Pin ECP125SS
Stainless Steel Spring Wire, Outside Diameter 3.5 mm

ECP125-100SS	38 042 51
ECP125-250SS	38 042 68
ECP125-300SS	38 042 75
ECP125-350SS	38 042 82
ECP125-400SS	38 042 99
ECP125-450SS	38 043 05
ECP125-500SS	38 043 12
ECP125-600SS	38 043 29
ECP125-750SS	38 043 36
ECP125-800SS	38 043 43
ECP125-900SS	38 043 50

Packing Unit content:
10 Connecting Pins.



Description **Order No.**

Connecting Pin ECP125SS
Stainless Steel Spring Wire, Outside Diameter 3.5 mm

ECP125-1000SS	38 043 67
ECP125-1050SS	38 043 74
ECP125-1200SS	38 043 81
ECP125-1500SS	38 043 98
ECP125-1800SS	38 044 04

Packing Unit content:
10 Connecting Pins.



Connecting Pin ECP187SS
Stainless Steel Spring Wire, Outside Diameter 4.5 mm

ECP187-250SS	38 044 59
ECP187-350SS	38 044 66
ECP187-400SS	38 044 73
ECP187-450SS	38 044 80
ECP187-500SS	38 044 97
ECP187-600SS	38 045 03
ECP187-750SS	38 045 10
ECP187-800SS	38 045 27
ECP187-900SS	38 045 34
ECP187-1000SS	38 045 41
ECP187-1050SS	38 045 58
ECP187-1200SS	38 045 65
ECP187-1500SS	38 045 72
ECP187-1800SS	38 045 89

Packing Unit content:
10 Connecting Pins.



Splicing Kit EFEK-G
Galvanized Steel fasteners, NC Pin

EasyFix Eco Kit EFEK62-G Belt Thickness 1.5-3.2 mm	38 048 00
EasyFix Eco Kit EFEK125-G Belt Thickness 3.2-4.8 mm	38 048 17
EasyFix Eco Kit EFEK187-G Belt Thickness 4.8-6.4 mm	38 048 24

Packing Unit content:
1 Set of Lacing (4 Strips of 300mm)
1 Connecting Pin / Retaining Washers
Installation Tool



Splicing Kit EFEK-SS
Stainless Steel fasteners, NCS Pins

EasyFix Eco Kit EFEK62-SS Belt Thickness 1.5-3.2 mm	38 048 31
EasyFix Eco Kit EFEK125-SS Belt Thickness 3.2-4.8 mm	38 048 48
EasyFix Eco Kit EFEK187-SS Belt Thickness 4.8-6.4 mm	38 048 55

The Splicing Kit is ideal as a mobile and quick repair solution for your conveyor belt, the Kit includes one complete splice for a belt width up to 600mm also a small installation tool.

Description **Order No.**

Installation Tool EasyFix EFT

EasyFix Tool EFT-100/4"	38 050 05
EasyFix Tool EFT-300/12"	38 050 29
EasyFix Tool EFT-600/24"	38 050 36
EasyFix Tool EFT-1200/48"	38 050 50



Spare Punch for EFT	38 051 42
---------------------	-----------

Accessories

EC-Setting Plate	3805135
------------------	---------



Belt Grinder	38 051 11
--------------	-----------



ECP-Cutter	38 051 04
------------	-----------



ECP-Bender	38 051 28
------------	-----------



Retaining Washers ECP62 (50)	380 46 40
Retaining Washers ECP125 (50)	380 46 57
Retaining Washers ECP187 (50)	380 46 64


PU = 5x10 piece
PU = 5x10 piece
PU = 5x10 piece



Supergrip-Skiver	380 50 98
------------------	-----------



mato



Description	Belt-thickness	Order No.
-------------	----------------	-----------

Belt Fastener EC62G with Connecting ECP62NC
 Belt Strength up to 200 kN/m, Minimum Pulley Diameter 50 mm
 Galvanized Steel Fasteners - G, Nylon Covered Steel Cable Pins NC

EC62G-300NC	1.5-3.2	38 002 08
EC62G-400NC	1.5-3.2	38 002 15
EC62G-450NC	1.5-3.2	38 002 22
EC62G-500NC	1.5-3.2	38 002 39
EC62G-600NC	1.5-3.2	38 002 46
EC62G-750NC	1.5-3.2	38 002 53
EC62G-800NC	1.5-3.2	38 002 60
EC62G-900NC	1.5-3.2	38 002 77
EC62G-1000NC	1.5-3.2	38 002 84
EC62G-1050NC	1.5-3.2	38 002 91
EC62G-1200NC	1.5-3.2	38 003 07
EC62G-1500NC	1.5-3.2	38 003 14
EC62G-1200/bulk50*	1.5-3.2	38 003 52
EC62G-1500/bulk50*	1.5-3.2	38 003 69
EC62G-1800/bulk50*	1.5-3.2	38 003 76

Box content:

4 Sets of Lacing (8 Strips + 4 Connecting Pins + 10 Retaining Washers).



* 25 Sets (50 Strips) without Connecting Pins + Washers

Belt Fastener EC62G with Connecting ECP62SP
 Belt Strength up to 200 kN/m, Minimum Pulley Diameter 50 mm
 Galvanized Steel Fasteners - G, Steel Spring Wire Pin - SP

EC62G-300SP	1.5-3.2	38 003 90
EC62G-450SP	1.5-3.2	38 004 06
EC62G-500SP	1.5-3.2	38 004 13
EC62G-600SP	1.5-3.2	38 004 37
EC62G-750SP	1.5-3.2	38 004 44
EC62G-900SP	1.5-3.2	38 004 51
EC62G-1000SP	1.5-3.2	38 004 75
EC62G-1050SP	1.5-3.2	38 004 82
EC62G-1200SP	1.5-3.2	38 005 05
EC62G-1500SP	1.5-3.2	38 005 12

Box content:

4 Sets of Lacing (8 Strips + 4 Connecting Pins + 10 Retaining Washers).



Description	Belt-thickness	Order No.
-------------	----------------	-----------

Belt Fastener EC125G with Connecting Pin ECP125NC
 Belt Strength up to 315 kN/m, Minimum Pulley Diameter 75mm
 Galvanized Steel Fasteners- G, Nylon Covered Steel Cable Pins NC

EC125G-100NC**	3.2-4.8	38 010 07
EC125G-250NC	3.2-4.8	38 010 14
EC125G-300NC	3.2-4.8	38 010 21
EC125G-350NC	3.2-4.8	38 010 38
EC125G-400NC	3.2-4.8	38 010 45
EC125G-450NC	3.2-4.8	38 010 52
EC125G-500NC	3.2-4.8	38 010 69
EC125G-600NC	3.2-4.8	38 007 03
EC125G-750NC	3.2-4.8	38 010 76
EC125G-800NC	3.2-4.8	38 010 83
EC125G-900NC	3.2-4.8	38 007 34
EC125G-1000NC	3.2-4.8	38 011 06
EC125G-1050NC	3.2-4.8	38 011 13
EC125G-1200NC	3.2-4.8	38 011 37
EC125G-1500NC	3.2-4.8	38 011 44
EC125G-1200/bulk50*	3.2-4.8	38 011 51
EC125G-1500/bulk50*	3.2-4.8	38 011 68
EC125G-1800/bulk50*	3.2-4.8	38 011 75

Box content:

4 Sets of Lacing (8 Strips + 4 Connecting Pins + 10 Retaining Washers).

** 10 Sets (20 Strips + 10 Connecting Pins + Washers)



* 25 Sets (50 Strips) without Connecting Pins + Washers

Belt Fastener EC125G with Connecting Pin ECP125SP
 Belt Strength up to 315 kN/m, Minimum Pulley Diameter 75mm
 Galvanized Steel Fasteners- G, Steel Spring Wire Pin - SP

EC125G-400SP	3.2-4.8	38 012 05
EC125G-450SP	3.2-4.8	38 012 12
EC125G-500SP	3.2-4.8	38 012 36
EC125G-600SP	3.2-4.8	38 012 43
EC125G-750SP	3.2-4.8	38 012 50
EC125G-800SP	3.2-4.8	38 012 67
EC125G-900SP	3.2-4.8	38 012 74
EC125G-1000SP	3.2-4.8	38 012 81
EC125G-1050SP	3.2-4.8	38 013 04
EC125G-1200SP	3.2-4.8	38 012 98
EC125G-1500SP	3.2-4.8	38 013 11

Box content:

4 Sets of Lacing (8 Strips + 4 Connecting Pins + 10 Retaining Washers).



Description Belt-thickness Order No.

Belt Fastener EC187G with Connecting Pin ECP187NC
 Belt Strength up to 400 kN/m, Minimum Pulley Diameter 100 mm
 Galvanized Steel Fasteners- G, Nylon Covered Steel Cable Pins NC

EC187G-100NC**	4.8-6.4	38 018 09
EC187G-300NC	4.8-6.4	38 018 16
EC187G-400NC	4.8-6.4	38 018 23
EC187G-450NC	4.8-6.4	38 018 30
EC187G-500NC	4.8-6.4	38 018 47
EC187G-600NC	4.8-6.4	38 011 99
EC187G-750NC	4.8-6.4	38 018 54
EC187G-800NC	4.8-6.4	38 018 61
EC187G-900NC	4.8-6.4	38 012 29
EC187G-1000NC	4.8-6.4	38 018 85
EC187G-1050NC	4.8-6.4	38 018 92
EC187G-1200NC	4.8-6.4	38 019 15
EC187G-1500NC	4.8-6.4	38 019 22
EC187G-1200/bulk50*	4.8-6.4	38 019 53
EC187G-1500/bulk50*	4.8-6.4	38 019 60
EC187G-1800/bulk50*	4.8-6.4	38 019 77

Box content:

4 Sets of Lacing (8 Strips + 4 Connecting Pins + 10 Retaining Washers).

** 10 Sets (20 Strips + 10 Connecting Pins + Washers)



* 25 Sets (50 Strips) without Connecting Pins + Washers

Belt Fastener EC187G with Connecting Pin ECP187SP
 Belt Strength up to 400 kN/m, Minimum Pulley Diameter 100 mm
 Galvanized Steel Fasteners- G, Steel Spring Wire Pin - SP

EC187G-450SP	4.8-6.4	38 020 04
EC187G-500SP	4.8-6.4	38 020 11
EC187G-600SP	4.8-6.4	38 020 28
EC187G-750SP	4.8-6.4	38 020 35
EC187G-900SP	4.8-6.4	38 020 42
EC187G-1000SP	4.8-6.4	38 020 59
EC187G-1050SP	4.8-6.4	38 020 66
EC187G-1200SP	4.8-6.4	38 020 73
EC187G-1500SP	4.8-6.4	38 020 80

Box content:

4 Sets of Lacing (8 Strips + 4 Connecting Pins + 10 Retaining Washers).



Description	Belt-thickness	Order No.
-------------	----------------	-----------

Belt Fastener EC62SS with Connecting ECP62NCS
 Belt Strength up to 200 kN/m, Minimum Pulley Diameter 50 mm
 Stainless Steel Fasteners- SS, Nylon Covered Stainless Steel Cable Pins NCS

EC62SS-300NCS	1.5-3.2	38 004 20
EC62SS-400NCS	1.5-3.2	38 006 04
EC62SS-450NCS	1.5-3.2	38 006 11
EC62SS-500NCS	1.5-3.2	38 006 28
EC62SS-600NCS	1.5-3.2	38 004 68
EC62SS-750NCS	1.5-3.2	38 006 42
EC62SS-800NCS	1.5-3.2	38 006 59
EC62SS-900NCS	1.5-3.2	38 004 99
EC62SS-1000NCS	1.5-3.2	38 006 73
EC62SS-1050NCS	1.5-3.2	38 006 80
EC62SS-1200NCS	1.5-3.2	38 007 10
EC62SS-1500NCS	1.5-3.2	38 007 27
EC62SS-1200/bulk50*	1.5-3.2	38 007 58
EC62SS-1500/bulk50*	1.5-3.2	38 007 65
EC62SS-1800/bulk50*	1.5-3.2	38 007 72

Box content:

4 Sets of Lacing (8 Strips + 4 Connecting Pins + 10 Retaining Washers).



* 25 Sets (50 Strips) without Connecting Pins + Washers

Belt Fastener EC62SS with Connecting ECP62SS
 Belt Strength up to 200 kN/m, Minimum Pulley Diameter 50 mm
 Stainless Steel Fasteners- SS, Stainless Steel Wire Pins SS

EC62SS-300SS	1.5-3.2	38 008 02
EC62SS-450SS	1.5-3.2	38 008 19
EC62SS-500SS	1.5-3.2	38 008 26
EC62SS-600SS	1.5-3.2	38 008 33
EC62SS-750SS	1.5-3.2	38 008 40
EC62SS-900SS	1.5-3.2	38 008 57
EC62SS-1000SS	1.5-3.2	38 008 64
EC62SS-1050SS	1.5-3.2	38 008 71
EC62SS-1200SS	1.5-3.2	38 008 88
EC62SS-1500SS	1.5-3.2	38 008 95

Box content:

4 Sets of Lacing (8 Strips + 4 Connecting Pins + 10 Retaining Washers).

